



CENTER ROUTING SLIP

25X1

FROM				DATE	6/9/66
TO		INITIALS	DATE	REMARKS	
DIR	4	acc	9/6	<i>F4I only - No action Required.</i> <i>PAG cables</i> 	
DEP/DIR	3		9/6		
EXEC/DIR	2	LT	9/6		
TECH ADV					
SPECIAL ASST	1	M	9/6		
ASST FOR P&M					
CH/SS					
ASST FOR OPS	5				
ASST FOR PA					
ASST FOR P&D					
CH/CSD					
CH/IPD					
CH/PD					
CH/PSD					
CH/TID					
CH/CIA/IAD					
CH/DIA/XX-4					
CH/DIA/AP-IP					
CH/SPAD					
LO/CGS/CIA					
LO/NSA					

TOP SECRET

25X1

mult.

P 022307Z
FM NPIC
TO DIRNSA
CNO

OUT59696

1966 SEP 2 23 23Z

6 SEP 1966

DISTRIBUTION

Cy No.	Office	A25X1
1	File	
2	OS	
	ADMIN	
	SEC DR	
	P. & S.	
3	CCD	
	ICD	
	ED	
	ECG	
	ECG-100	
	TID	
4	ML	
5	PAG	
	EX-4	
6	STAD *	
	NSA-LO	
7	DIA-AP *	

Advance copy

* sanitized

OPCEN
STATE/RCI
CINCLANTFLT
CINCPACFLT
CINCUSNAVEUR
CINCLANT
CINCPAC
LANTINTCEN
FICPAC
COMNAVFORJAPAN
COMSECONDFLT
YDHAVQC/CINCEUR
YSHKLRC/USARPAC
AFSSO PACAF
AFSSO ACIC
AFSSO FTD
AFSSO AFSC
AFSSO BSD
AFSSO ESD
AFSSO SSD
AFSSO USAF
AFSSO USAFE
INFO FICEUR
ZEM

TOP SECRET

CITE NPIC 8359.

25X1

BASED ON ANTENNA TYPES PRESENT, THE FACILITY PREVIOUSLY TERMED

25X1

TOP SECRET

-2-

SAM INSTRUMENTATION SITE 12 (4844N 4544E) AT THE KAPUSTIN YAR/
VLADIMIROVKA MISSILE TEST CENTER IS REDESIGNATED THE TROPOSCATTER
AND MICROWAVE COMMUNICATIONS FACILITY. THE FACILITY CONTAINS 4
TROPOSCATTER DISH ANTENNAS, A PROBABLE R-400 MICROWAVE ANTENNA AND
ADDITIONAL PROBABLE COMMO VANS.

THE TROPOSCATTER DISHES ARE IN A DIVERSITY ARRANGEMENT, 2
ORIENTED ON AN APPROXIMATE AZIMUTH OF 350 DEGREES (PROBABLE CORRES-
PONDENT THE KAMYSHIN RADAR TRACKING FACILITY) AND THE OTHER 2
ORIENTED AT APPROXIMATELY 30 DEGREES (POSSIBLE CORRESPONDENT PALLASOVKA
H CONFIGURED RADAR TRACKING FACILITY). THE ORIENTATION OF THE
PROBABLE R-400 MICROWAVE ANTENNA CAN NOT BE DETERMINED. THIS
FACILITY CAN BE NEGATED ON [REDACTED] AND WAS
FIRST OBSERVED IN AN EARLY STAGE OF CONSTRUCTION ON [REDACTED]

25X1

25X1

25X1

25X1

MAP: USATC SERIES 200, SHEET 235-22HL, 4TH ED., MAY 1963 (S)

GP-1

T O P S E C R E T [REDACTED]

STAT

--END OF MESSAGE--

S/C NOTE: ALSO PASSED [REDACTED]

25X1